

HANDBOOK OF
COSMETIC
SCIENCE AND TECHNOLOGY

The following pages contain the full contents and editorial index for the *Handbook of Cosmetic Science & Technology*.

Any section [highlighted in blue](#) in the contents pages can be ordered via the Coxmoor Publishing Company website at:

www.coxmoor.com

via e-mail at:

cosmetic@coxmoor.com

or by fax to:

+44(0)1451-870661

or by post to:

**Coxmoor Publishing Company
PO Box 72
Chipping Norton
Oxon
OX7 6UP
UK**

Contents

SECTION 1 – Raw Materials

Reology of Cosmetics Systems	1
Thickeners & Gums	11
Oils, Fats and Waxes	21

SECTION 2 – Safety and Legislation

Product Safety	35
Legislation	52

SECTION 3 – Surface Chemistry

Surface Chemistry	67
Emulsions	95

SECTION 4 – Decorative Cosmetics

Decorative Cosmetics	121
----------------------------	-----

SECTION 5 – Personal Care

Skin and Skin Products	167
Hair and Hair Products	201
{ Bath Products	233
{ The Teeth and Toothpaste	244

SECTION 6 – Packaging

Aerosols	263
Packaging	286

SECTION 7 – Perfumery

Perfumery	317
-----------------	-----

SECTION 8 – Manufacturing

Production	365
Quality Control and Assurance	397
{ Stability Testing	435
{ Industrial Microbiology, Hygiene and Preservation	440

SECTION 9 – Marketing

Product Evaluation	461
Consumer Research	480
Psychology	493

}	SECTION 10 – Glossary of Terms	
	Glossary of Terms	505
}	SECTION 11 – Reference Section	
	Reference Section	523
	Advertisers’ Buyer’s Guide	
	Advertisers by Product Category	545
	Alphabetical Index of Advertisers	563
	Editorial Index	569

HANDBOOK OF
COSMETIC
SCIENCE AND TECHNOLOGY

Editorial index

Page numbers in this index relate to the sections listed on the previous two pages of this document.

Editorial Index

A

- “A not A” test, 469
- Acceptable quality level (AQL), 408, 409
- Acid value, 28
- Acne, 200
- Acrylic acid based thickeners, 17-18
- Acrylonitrile-butadiene-styrene copolymer (ABS), 297, 304
- Acyl sarcosinates, 13
- Additives, 137, 225
- Adsorption
 - gas-solid interfaces, 76-8
 - liquid-liquid interfaces, 85-7
 - liquid-solid interfaces, 79-85
 - measurements, 75
 - phenomenon, 75
 - preferential, 99-103
- Advertising and brand awareness, 489
- Aerosols, 263-85, 349-50
 - actuators, 274-5
 - classification, 265-7
 - containers, 271-3
 - corrosion, 283
 - definition, 263
 - filling, 281-3, 395
 - flammability testing, 284
 - history, 263-5
 - mousses, 266-7
 - packaging, 271-5
 - perfumed, 280-1
 - product testing, 283-5
 - propellants, 267-71
 - specific products, 276-81
 - spray characteristics, 275-6, 285
 - storage testing, 284
 - three-phase, 266
 - two-phase, 265
 - valves, 273-4
 - weight losses, 285
- African cultures, 497
- After-bath preparations, 242
- “Airspray” system, 273
- Alcohols, 323
- Aldehydes, 323
- Aliphatic perfume ingredients, 323
- Alkanolamides, 13
- Alkyl ether sulphate, 221-2
- Alkyl sulphates, 221
- Aluminium monobloc containers, 272
- Aluminium tubes, 306
 - quality assurance, 307
- Aluminium/zirconium chlorhydrate, 195-6
- Ambergris, 337
- Aminoanthraquinones, 231
- 2-Amino-2-ethyl-1,3-propanediol (AMPD), 277
- Aminomethyl propanediol (AMPD), 227
- Aminomethyl propanol (AMP), 227
- 2-Amino-2-methyl-1-propanol (AMP), 277
- 2-Amino-2-methyl-1,3-propanediol (AMPD), 277
- Ammonium lauryl sulphate, 241
- Ammonium thioglycollate, 230
- Amorphous silicon dioxide, 18
- Amphomer 28-4910 resin, 278
- Animal fats, 23
- Animal testing, 49-50
 - legislation, 49
- Animal waxes, 24
- Anionic emulsifiers, 110-11
- Anosmia, 320-1
- Anti-acne products, 200
- Antil 141, 240
- Antioxidants, 151
- Antiperspirants, 195-7, 279-80, 349-50
 - efficacy, 196-7

evaluation, 477-9
 Anti-plaque agent, 256
 Apocrine sweat glands, 169, 197
 AQL, 418-19
 Arrector pili muscle, 204
 Artificial tanning products, 194
 Axial flow, 380

B

Bacteria, 440
 "Bag-in-can" containers, 273
 Barium sulphate, 132
 Batch coding, 427
 Batch control, 405
 Batch identification, 393-4
 Bath cubes, 233-4
 Bath gels, 241
 Bath oils, 234-8, 350
 based on silicones, 237
 dispersible or blooming, 236
 emulsifying, 236
 floating, 234-6
 foaming, 237-8
 functional, 236
 "special effect", 238
 Bath products, 233-43, 350
 Bath salts, 233-4
 Bath tablets, 233-4
 Beeswax, 148, 150, 177
 Beeswax/borax emulsifier system, 111
 Bentonite, 18-19
 Benzenoids, 323
 Bergamot oil, 331
 Binder systems, 137
 Bleaching products, 228-9
 Blusher pigments, 137
 Blushers, 143-4
 Body odour, 198
 Borax, 111, 233
 Bottle design, 291-3
 Brand markets, 487-9
 Brand mix, elements of, 489
 Brand strategy, 489
 Braunaeur, Emmett and Toller (BET) isotherms, 78
 British Standards, 421
 2-Bromo-2-nitropropan-1,3-diol, 151
 Brookfield viscometer, 7-8
 Brownian motion, 97-8
 BS 5750, 402, 420-31
 field of application, 422
 quality systems requirements, 422-31
 scope, 422

BS 6000, 426
 BS 6001, 408-10, 412, 420, 426
 Bulk density, 146
 Butylated hydroxytoluene (BHT), 151

C

Cake mascaras, 156-7
 Calcium carbonate, 135, 185
 Calcium thioglycollate, 185
 Calculus, 246, 249
 Calgon, 234
 Candelilla wax, 149
 Capillary rise method, 82-3
 Capillary viscometers, 10
 Capping operations, 393
 Caprylic/capric triglyceride, 177
 Carbomer resins, 17-18
 Carnauba wax, 149
 Carrageenan, 19
 Carton-board, 289-90
 Cartons, 394
 Castor oil, 148
 Castoreum, 337
 Cedarwood oil, 333
 Cellulase, 254
 Cellulose, structure of, 14
 Cellulose ethers, 13
 applications, 14
 Cellulose gum, 15
 Cellulosic thickeners, 13-17
 microbial attack, 15
 Ceresine wax, 150
 Cetyl alcohol, 176, 178, 185
 Cetyl pyridinium chloride (CPC), 256
 Chalone, 170
 Charge shielding effect, 101-3
 Children's products, 500
 China clay, 135
 Chi-squared test, 468, 469
 Chlorofluorocarbons (CFCs), 263-5, 278
 Chlorhexidene, 255
 Chromium dioxides, 130-1
 Circle of instability, 99
 Cistus oil, 333-4
 Citronella, 329
 Citrus oils, 330-1
 folding, 327
 Civet, 337
 Claim support information, 462
 Cleansing products, 179
 Climbazole, 181, 182
 Clove oil, 332
 Coaxial viscometers, 8-9

- Cocoa butter, 152
 Coconut diethanolamide, 13
 Cohesive powders, 371-4
 Cold creams, 96, 111
 COLIPA, 56, 59
 Collagen, 183
 Collagen fibres, 170-1
 Collagen fibrils, 171
 Collapsible tubes, 306-8
 Colloid systems, 67
 characteristic property, 67
 intermolecular and interfacial forces, 69-74
 lyophilic, 69-70
 lyophobic, 71, 73
 maintaining stability, 68-9
 preparation, 68
 quantification of repulsive/attractive forces, 72-4
 stabilisation, 67
 Colloidal state, 67-9
 Colognes, 348
 Colony forming units (CFU), 441
 Colour
 blindness, 123
 description of, 124
 hair, 210-11
 interference, 123-4
 lipstick products, 148
 measurements, 26
 mixing, 124-5
 tests, 146
 theory, 121-4
 vision, 122
 vision defects, 122-3
 Colour Index (CI) system, 125
 Colour Index Reference Manual, 125
 Colourants
 EEC classification, 126-7
 FDA classification, 126
 for powder cosmetics, 137
 legislation, 125-7
 nomenclature, 126
 physical properties, 127-32
 Coloured pearls, 133
 Composite containers, 309
 Compressed gas propellants, 270-1
 Conception
 and perception, 486-7
 principle of, 485-6
 Conditioners, 225
 Conductivity measurements, 116
 Cone and plate viscometers, 9-10
 Constructive interference, 123
 Consumer acceptance, 46
 Consumer exposure, assessment of, 44
 Consumer research, 480-92
 data collection, 490
 designing ad-hoc research programs, 490-1
 methodology, 489-92
 psychology, 480-7
 qualitative research, 491-2
 quantitative, 492
 reasons for, 489-90
 Contact angle, 82
 Contact dermatitis, 40
 Contract review, 424
 Corrective action, 430
 Corrosion, aerosols, 283
 Corrugated board cases, 312-13
 Cortex, 206
 Cosmetic Products (Safety) Regulations, 62
 Cosmetics Ingredients Dictionary (CID), 36
 Cosmetics, Toiletries and Perfumes Association (CTPA), 39
 Couette viscometer, 8-9
 Cream mascaras, 157-8
 Creams, 349
 cold, 96, 111
 Critical micelle concentration (CMC), 43, 91-3
 Customer complaints, 46
 Cuticle keratin, 205
 Cyclomethicone, 178, 278
- ## D
- Dandruff, 180-2
 treatments, 181
 Date coding, 393-4
 DEB-100, 277
 Decorative cosmetics, 121-64
 Defect types, 408-9
 Delivery, precautions against damage or deterioration, 430
 Dental caries, 246-8
 prevention of, 254-5
 Dental disease, 246-50
 Dental hypersensitivity, 250, 256-7
 Dental plaque, 246
 in vitro studies, 256
 in vivo studies, 256
 pH value, 247
 Dentine, 245
 Deodorants, 198-9, 280, 349-50
 efficacy testing, 198-9
 evaluation, 476
 Depigmenting agents, 188-9
 Depilatory products, 184-5
 Dermal papilla, 203
 Dermis, structure of, 170

Destructive interference, 123
 Detergents in bath foams, 239
 Diaphragm pumps, 388-9
 Difference testing, 467
 Diffey method, 192
 Dihydroxy acetone, 194
 Dilatent behaviour, 4
 Dimethyl ether (DME), 269
 Dimethyl polysiloxanes, 237
 1,4-Dioxin, 38
 Distillation methods, 326-7
 Distilled water, 442
 Disulphide links, 208-9
 DLVO theory, 72
 Document control, 424-5
 Drop test, 146
 Drop volume method, 83-4
 Dry offset printing, 299
 Dual standard test, 468
 Duo/trio test, 469
 Duplex film, 90
 Dupre equation, 88, 89
 D-value determinations, 457
 Dyes
 natural, 128
 synthetic, 127
 uptake, 116
 Dynamic viscosity, 1-2, 4
 Dynamic viscosity:shear rate flow curves, 3
 Dysosmia, 321

E

Eau de Cologne, 317-18
 Eccrine sweat glands, 168-9, 194-5
 EDTA, 225
 EEC Cosmetics Directive, 36, 47, 52-60
 amendment procedure, 56-60
 amendments, 58-9
 Cosmetic Directive Annexes, 54-6
 Cosmetic Directive Articles, 52-4
 implementation of, 58-9
 sixth amendment, 59-60
 structure of, 52-6
 EEC pre-packaging Directives, 60
 EINECS, 60
 Electrical charge, application of, 99
 Electrical double layer, 73
 Electrical impedance, 178
 measurements, 476
 Electrical potential plot, 101
 Electrolyte thickeners, 11-12
 Emollient, 175
 Emulsification, 95
 Emulsifier systems, 109-12
 Emulsions, 67, 90-1, 95-118
 addition of nonionic surfactants, 105
 ageing programmes, 118
 centrifugal force, 118
 charge shielding effect, 101-3
 classical systems, 95-7
 creaming/sedimentation, 117
 formation, 96-7
 freeze-thaw testing, 117-18
 heating and cooling, 385-7
 instability, 97-8
 interfacial film strengthening, 103
 low shear rate evaluation, 118
 miscellaneous properties, 116
 particle charge, 114
 particle size, 113-14
 particle type, 113
 phase separation, 117
 physical properties, 112-14
 polymer stabilisation, 103-5
 powder stabilisation, 103
 production of, 383-7
 rheological properties, 114-15
 sedimentation/creaming forces, 98-9
 stabilising, 90, 99-105
 stability, 116-17
 testing, 117-18
 system selection, 105-7
 temperature stability, 117
 visual assessment, 118
 see also Oil-in-water (O/W) emulsions;
 Water-in-oil (W/O) emulsions
 Enflourage, 328
 Engineering function, 368
 Epidermal cells, 203
 Epidermis, structure, 169-70
 Essential oils, 324
 availability, 334
 chemistry of, 334-5
 components of, 324
 definition, 324
 examples of, 361
 future, 336
 grass family, 329
 health and safety requirements, 335-6
 history of, 325-6
 price of, 334
 production and distribution, 326
 sales and distribution, 328
 specific types, 329-34
 Esters, 323
 Ethanol B, 277
 European Inventory of Existing Chemical
 Substances (EINECS), 37
 European Inventory of Existing Commercial
 Substances (EINECS), 49

Evaporimetry, 475
 Expression, 328
 Extrusion blow moulding, 305
 Eye mascara products, 155-60
 evaluation of formulations, 159
 formulation and manufacture, 156-9
 packaging, 160
 quality assurance, 160
 Eye-shadow pigments, 138
 Eye-shadow powder pressing, 395-6
 Eyes, irritant reaction, 46

F

Face powder pigments, 137
 Factory layout, 366
 Falling ball viscometers, 10
 Fats, 21-4
 derivatives from, 25
 test methods, 26-32
 Fatty acids, 21-3
 distribution, 30-2
 Fatty oils, 21-2
 Fibre board cases, 312
 Fibroblasts, 171, 183
 Filling areas, hygiene in, 443-8
 Filling lines
 design of, 392
 management and automation, 396
 Filling techniques, 389-96
 Finished product control, 406
 legislation, 407
 Flammable liquids, filling of, 391
 Flavour
 assessment, 462-4
 toothpastes, 253-4
 Flexographic printing, 299
 Flexometry, 475
 Fluoride tooth protectant, 252
 Fluorides, 254-5
 Fluorocarbon propellants, 269-70
 Foam baths, 238-41, 350
 detergents for, 239
 formulation, 239-41
 gel formulation, 241
 luxurious pearlescent, 241
 powders and tablets, 242
 Foaming agents, toothpastes, 253
 Foams, 67
 Folding techniques, 327
 Food and Drug Administration (FDA), 37
 Fragrances, 146, 150, 240
 development of, 344
 fine, 348
 in cosmetic and toiletry products, 348

 manufacture of, 345
 psychological benefits, 493-4
 see also Perfumery
 Frequency distribution, 413
 Freundlich isotherms, 78, 80
 Fumed silica, 18, 136
 Fungi, 440-1

G

Gas-solid interfaces, adsorption, 76-8
 Geranium oil, 329-30
 Gibbs' adsorption isotherm, 85-7
 Gingivitis, 248
 Glass, in packaging, 290-3
 Glass containers, 291-3
 closures for, 293
 Glazing test, 147
 Glycerine, 176
 Glyceryl monostearate, 178
 Godet, 395-6
 Good Manufacturing Practice (GMP), 365-6,
 444, 445, 447, 448
 Graphical scales, 470
 Guar gum, 19-20
 Guar hydroxypropyltrimonium chloride, 19-20
 Gum regression, 248
 Gums, 11-20
 naturally occurring, 18

H

Hair
 body, 218
 bulk fibre properties, 214
 chemistry of, 207-10
 colour, 210-11
 cross-sectional shape, 202
 dimensions, 202
 ease of combing, 214-15
 effects of acid and alkali, 219-20
 effects of anionic and cationic materials, 220
 effects of heat, 219
 effects of reducing agents, 220
 effects of water, 219
 elastic properties, 212-13
 electrostatic behaviour, 211
 environmental effects, 218-20
 fly-away, 215-16
 frictional behaviour, 211-12
 lustre, 211, 216-17
 manageability, 217-18
 morphology, 204-7
 physical properties, 210-18

physiology, 202-4
 structure, 201-7
 style retention, 215
 tensile properties, 212-13
 terminal, 201-2
 Hair care, psychology of, 494-5
 Hair care products, 225-32
 evaluation, 471-4
 salon testing, 472-3
 Hair colourants, 230-2
 Hair conditioners, 226
 Hair dyes
 permanent, 232
 semi-permanent, 231-2
 temporary, 231
 Hair fibres, 204, 210, 211
 Hair follicles, 168
 physiology, 202-4
 Hair growth, 184-7
 Hair growth cycle, 201-2
 Hair index, 202
 Hair mousse formulations, 228
 Hair reducing agents, 230
 Hair spray resins, 277
 Hair sprays, 226-7, 276-8, 349-50
 Hair waving products, 229-30
 Halitosis, 249-50
 Hand creams, 177
 Handling, precautions against damage or
 deterioration, 430
 Heat exchangers, 389
 Heat transfer printing, 302
 Helmholtz double layer, 73
 High shear mixing systems, 387-8
 Historical background, 497-9
 HLB (hydrophilic-lipophilic balance) value,
 90-2, 107-12, 236
 experimental determination, 108-9
 Homogenisation, 387
 Hooke's Law, 213
 Hot stamping, 302-3
 Humectants, 176, 177
 toothpastes, 252-3
 Hydrated alumina, 131
 Hydro-alcoholic emulsions, 242
 Hydrocarbon propellants, 268-9, 276
 Hydrogen bonding, 208
 Hydroquinone, 189
 Hydroxyapatite, 244
 Hydroxyethylcellulose, 15
 Hydroxyl value, 29-30
 Hydroxypropyl cellulose, 15-16
 Hydroxypropyl methylcellulose, 16
 Hyperosmia, 321
 Hyposmia, 320

I

Imaging making, 496-7
 Immediate Pigment Darkening (IPD), 191
 Immiscible liquids, 383-7
 Impeller design and placement, 381-3
 Infra-red radiation, 189
 Infra-red spectroscopy, 178
 Injection blow moulding, 305
 Injection stretch blow moulding, 305
 Inorganic pearls, 132
 Insect waxes, 24
 Inspection, 412, 427-9
 Instrumental evaluation, 462
 Intaglio printing, 301-2
 Interfacial forces, 74-91
 Iodine value, 29
 Ionisation, 99
 Iron blue, 131
 Iron oxides, 130
 Ishihara Colour Tests, 123
 Isoelectric point, 70
 Isopropyl myristate, 176, 178, 235
 Isostearyl neopentanoate (ISNP), 137

J

Japan
 culture, 497
 legislation, 61
 Jasmine, 330
 Jasmine perfume, 346
 Just-in-time (JIT), 405

K

Kaolin, 135
 Keratin
 amorphous, 208
 chemistry of, 207-10
 crystalline, 207-8
 Keratinisation process, 170, 203
 and dry skin, 173-5
 Keratohyalin, 170
 Ketones, 323
 Kinematic viscosity, 2
 Kraft point, 93

L

Labdenum oil, 333-4
 Labelling, 393

Labiates, 331-2
 Lactones, 323
 Laminar flow, 376
 Laminated tubes, 308
 Langmuir film balance, 93
 Langmuir isotherms, 77-8, 80
 Lanolin, 176
 Lanolin oil, 235
 Lauric acid dialkanolamide, 240
 Lavender oil, 331
 Legislation, 52-63
 animal testing, 49
 colourants, 125-7
 control of ingredients, 36
 finished product control, 407
 Japan, 61
 new chemical substances, 49
 raw materials, 39
 reference sources, 62-3
 USA, 60-1
 see also Cosmetics Directive
 Lemon oil, 331
 Lemongrass, 329
 Letterpress printing, 298
 Lilac perfume, 347
 Linear regression method, 457
 Liophilic colloids, 69-70
 Lipstick products, 147-55, 350
 colours, 148
 fatty materials, 149
 formulation acceptability, 154-5
 formulation and manufacture, 151-3
 formulations, 153-4
 oils and liquid additives, 148-9
 pigments, 148
 raw materials, 147-51
 Liquid bridges, 372
 Liquid filling, 389
 Liquid flow, 376
 Liquid-liquid interfaces, 85-93
 adsorption, 85-7
 Liquid-liquid mixing, 383-7
 Liquid mixing equipment, 378-83
 Liquid-solid interfaces
 adsorption, 79-85
 adsorption from solution, 80
 Loose face powders, 139-40
 Lotions/milks, 96, 349
 Lovibond Tintometer, 26
 Lyophobic colloids, 71

M

Macrofibrils, 206
 Magnesium carbonate, 135

Malassezia ovale, 474
 Manganese violet, 131
 Manufacturing areas, hygiene in, 443-8
 Manufacturing devices, 388-9
 Manufacturing equipment
 cleansing of, 444
 hygiene, 443
 Manufacturing operation, 370-1
 Manufacturing process, 444
 see also Production process
 Manufacturing techniques, 371-88
 Maori culture, 497
 Marketing, 367-8
 and brand role, 487-9
 see also under specific aspects
 Mascaras. *See* Eye mascara products
 Materia alba, 246
 MED (Minimum Erythema Dose), 191
 Melanin, 187, 188, 191, 207, 228
 Melting point test, 26-7
 Men's products, 498-9
Mentha Arvensis, 254
Mentha Piperita, 254
 Metal tubes, 306
 manufacture of, 306-8
 Metallic soaps, 135
 Methylcellulose, 16
 Micas, 136, 142
 Micelle formation, 91-3
 Microbial contamination, 441
 Microbial content, 441
 Microbial quality, raw materials, 442-3
 Microbial quality control, 448-9
 Microbiological testing, 427, 454-7
 Microbiology, 440-57
 Micro-organisms, 440
 Mineral oils, 23-4, 235
 Mineral raw materials, specifications, 38-9
 Mineral waxes, 24-5
 Miscible liquids, 383
 Moisture content, 27
 Moisturising products, 177, 179, 475
 evaluation of, 178
 formulations, 176
 Monolayers, 93-4
 Muget perfume, 347
 Musk, 337

N

Nail lacquers, 160-4
 assessment of formulations, 164
 formulations, 161
 manufacture, 163-4

plasticisers, 162-3
 required properties, 160-1
 secondary resins, 162
 solvent systems, 161-2
 Natural moisturising factor (NMF), 174-5
 Natural oils, 453
 Neroli oil, 331
 Newtonian behaviour, 4, 10
 Newtonian flow, 377
 Nitroaminophenols, 231
 Nitrophenylenediamines, 231
 Non-conformity
 product control, 429
 review and disposition, 429
 Nonionic emulsifiers, 109-10
 Nonionic thickeners, 12-13
 Normal distribution, 414
 "Not Animal Tested" statement, 49-50
 Numerical scales, 469

O

Odour, 319
 assessment, 476
 characteristics, 354
 descriptions, 321, 323
 detection, 319
 fatigue, 320
 sensitivity, 320
 Offset lithographic printing, 299
 Olfaction, 319-21
 Oil-in-water (O/W) emulsions, 90, 95, 105-8,
 110, 112, 114, 117, 176, 242, 266, 278
 Oils, 21-4
 derivatives from, 25
 test methods, 26-32
 Opacifiers, 224
 Oral accumulations, 246
 Organic pearls, 132
 Organoleptic assessment, 427-8
 Orifice viscometers, 10
 Orris oil, 332
 Ozokerite wax, 150

P

Packaging, 286-314, 394
 aerosols, 271-5
 choice of case for distribution, 313-14
 components, 447-8
 control system, 405
 definition, 286
 design and development, 286-7

eye mascara products, 160
 functions, 286
 general considerations, 286
 precautions against damage or deterioration,
 430
 pressed face powders, 142
 quality assurance of boards and cases, 314
 secondary, 311-14
 toothpastes, 259-60
 use of glass, 290-3
 use of paper, 287-90
 use of plastics, 293-7
 Packaging Directives, 60
 Packers Code, 407, 408
 Palmarosa oil, 329
 Paper in packaging, 287-90
 Paraffin wax, 150
 Patchouli plant, 332
 Pearlescent pigments, 139
 PEG 7 glyceryl cocoate, 240
 PEG 6000 distearate, 240
 Pellicle, 246
 Penetration tests, 146
 Pentaerythritol tetraistearate (PTIS), 137
 Peppermint oil, 254, 332
 Peptide bonds, 209
 Perception
 and conception, 486-7
 principle of, 480-5
 Perfumery, 136, 224, 317-61
 absolutes, 337
 animal derived products, 336-7
 concretes, 337
 creative, 341-5
 definition, 318
 early synthetic materials, 318
 formulations, 345-7
 functions, 318-19
 history, 317-18
 ingredients, 321-38
 derived from plant materials, 324-36
 miscellaneous, 336-8, 360
 isolates, 337
 psychological benefits, 493-4
 quality control, 338-40
 resinoids, 337
 safety of compounds, 340-1
 storage of compounds, 340
 see also Fragrances
 Periodontal disease, 248-9
 prevention of, 255
 Permanent wave lotions, 350
 Permanent waving, 229-30
 Peroxide value, 30
 Personal hygiene, 447

- Petitgrain oil, 331
- pH value, 42-3, 185
 - dental plaque, 247
 - effect on hair, 219-20
 - preservatives, 451-2
- Phantosmia, 321
- Phenol-formaldehyde, 294
- Phenyl acetaldehyde, 341
- Pigments
 - inorganic, 130
 - lake, 129
 - organic, 128-9
 - pearlescent, 132-4
 - true, 130
- Piroctone olamine, 181, 182
- pKa value, 42
- Planning process, 368-70
- Planographic printing, 299-300
- Plant materials, 38
 - biological activities, 40
 - contamination, 38
 - perfumery ingredients derived from, 324-36
- Plastic bottles, 303-6
 - closures, 306
 - decoration, 305
 - design, 305
 - manufacture of, 304-5
 - quality assurance, 306
- Plastic containers, 272, 308-9
- Plastic tubes, 307-8
 - filling and sealing of, 308
 - manufacture of, 308
- Plastics
 - in packaging, 293-7
 - in powder products, 136
- Polydimethyl siloxanes, 237
- Polyethylene, 294-6, 304
- Polyethylene terephthalate (PET), 272, 297, 304
- Polymers in emulsion stabilisation, 103-5
- Polypropylene, 296
- Polyquaternium-4, 228, 278
- Polyquaternium-11, 228, 278
- Polystyrene, 297, 304
- Polyvalent soaps, 111-12
- Polyvinyl chloride (PVC), 296-7, 304
- Polyvinyl pyrrolidone (PVP), 277
- Polyvinyl pyrrolidone/vinyl acetate copolymer (PVP/VA), 277
- Polyvinylidene chloride, 297
- Powdered cosmetic products, 134-47
 - formulation, manufacture and filling, 139-46
 - quality assurance tests on, 146-7
- Preferential adsorption, 99-103
- Preservatives, 137, 151, 224, 241, 449-54
 - concentration effects, 452
 - effect of natural oils, 453
 - effect of product container, 454
 - effect of solid particles, 453
 - effect of temperature, 453
 - factors affecting efficacy, 451-4
 - microbiological challenge testing, 454-7
 - micro-organisms present, 452-3
 - partition coefficient, 452
 - pH value, 451-2
 - rapid screening methods, 457
 - requirements of, 449-51
 - toothpastes, 254
- Pressed face powders, 141-3
 - manufacture, 142-3
 - packaging for, 142
- Pressed powder blushers, 143-4
- Pressed powder eye-shadows, 144-6
 - manufacturing process, 145
- Pressed powder rouges, 144
- Prickle cells, 170
- Printing processes, 297-303
- Process capability, 412
- Process control, 412, 414-15, 427
- Process control charts, 416-20
 - attributes, 418-20
- Process specifications, 403
- Product applicators, 447-8
- Product assessment, action standard, 462
- Product containers, 454
- Product development
 - brief for, 37
 - new products, 461
- Product dossier, 47
- Product evaluation, 461-79
 - objective, 462
 - panelists for, 470-1
 - purpose of, 461
 - quality control, 462
 - subjective, 462
 - techniques, 471-9
 - test methods, 465-70
 - types of, 462-5
- Product formulation
 - assessing toxic properties, 41-3
 - toxicological profile, 43
- Product safety
 - effects of interaction, 42
 - evaluation programme, 35-6
 - human volunteer studies, 45-6
 - in vitro tests, 45
- Product specifications, 403
- Product stability, 435-9
 - assessment, 439
 - characteristics to be considered, 435-6
 - test methods, 439

- testing, 436-9
- Production process, 365
 - and interdepartmental relationships, 366-9
 - see also* Manufacturing process
- Pseudoplastic behaviour, 4-5
 - with yield point, 5
- Psychology, 493-501
 - benefits of cosmetics and fragrance, 493-4
 - consumer research, 480-7
- Pumps, 388-9
- Purchase orders, 426
- Purchasing, 368
 - quality requirements, 425

Q

- Quality assurance, 368, 401, 413
 - basic elements, 402-8
 - eye mascara products, 160
 - tests on powder cosmetics, 146-7
- Quality audits, 430-1
- Quality concept, 398-401
- Quality control, 368, 400-1
 - microbial, 442, 448-9
 - perfumery, 338-40
 - product evaluation, 462
 - see also* Statistical quality control
- Quality function, 397-434
- Quality manual, 423-4
- Quality of design, 398-9
- Quality of performance, 399-400
- Quality policy statement, 422, 432
- Quality procedures manual, 423-4
- Quality records, 430
- Quality systems, 397-434
 - documentation, 433
- Quality training, 431
- Quenching, 341

R

- Radial flow, 378-9
- Radio-tracer methods, 178, 258
- Rating scales, 469
- Raw materials
 - control system, 403-4
 - identification and traceability, 426-7
 - impurities or by-products, 38
 - legislation, 39
 - microbial quality, 442-3
 - microbiological status, 39
 - mineral-derived, 39, 40
 - natural, 38

- “Not Animal Tested”, 49-50
- plant-derived, 39, 40
- resourcing, 461
- selection criteria, 37-9
- specifications, 39, 403
- storage conditions, 443
- synthetic, 39
- toxic properties of, 41-3
- toxicological data, 40-1
- Refractive index, 26
- Relief printing processes, 298
- Research and development, 368
- Resinoids, 337
- Reynolds number, 377
- Rheological characteristics, measurement of, 6-10
- Rheological flow curves, 2-5
- Rheology, 1-10
- Ribbon blender, 372
- Risk assessment, 43
- Rose oil, 330
- Rose perfume, 345-6

S

- Safety issues. *See* Legislation; Product safety
- Sales function, 369
- Salt linkages, 209
- Sample size code letters, 410
- Sampling plans, 408, 410-39
- Sampling routine, 410-12
- Sandalwood oil, 333
- Sanitisation techniques, 445
- Saponification equivalent, 28-9
- Saponification value, 28-9
- Saponified colour, 26
- Scale of standards, 470
- Scientific Committee on Cosmetology (SCC), 58
- S-curve, 480
- Searle viscometer, 8-9
- Sebaceous glands, 168, 199-200, 204
- Sebum, 168
- Selenium disulphide, 181
- Sensory assessment, 476, 477
- Sensory evaluation
 - objective, 462, 463-5
 - subjective, 462, 464
- Sequestering agents, 225, 233-4
- Sesquiterpenes, 338
- Setting lotions, 227-8
- Shampoo products, 44, 220-5, 349
 - anti-dandruff, 181-2
 - anti-dandruff testing, 473-4
 - formulations, 220-1

- Shaving products, 186-7
- Shear rate, determination of, 388
- Shear stress:shear rate curves, 3, 5
- Shower gels, 243
- Shrink-wrapping, 311-12, 394
- Silicone glycols, 237
- Silver pearls, 133
- Skin
 - abrasion, 171
 - absorption, 43, 44
 - ageing, 182-4, 189
 - anti-ageing products, 183-4
 - chemical damage, 172
 - damage, 171-2
 - dry, 172-8
 - flaky, 179-82
 - functions of, 167
 - physiology, 168
 - pigmentation, 187-8
 - roughness, 175
 - sensitisation, 172
 - structure, 168
 - sunlight effects, 189-90
- Skin bronzers, 194
- Skin care, psychology of, 495-6
- Skin care products, 175, 176
 - evaluation, 474-5
- Skin care regimen, 178-9
- Skin contact, 340-1
- Skin cream, 44
- Skin defects, cosmetic camouflaging of, 496
- Skin irritancy, 44, 171-2
 - surfactants, 43
 - testing, 46
- Skin lightening products, 188-9
- Slip point test, 26
- Smelling, mechanism of, 319-21
- Soap
 - carton wrapping, 310-11
 - effects of pH, 43
 - packaging, 309-11
 - quality control of wrapping materials, 311
 - shrink-wrapping, 311
 - three-component wrapping, 310
 - toilet, 348-9
- Social background, 497-9
- Sodium alkyl benzene sulphonate, 242
- Sodium carboxymethylcellulose, 17
- Sodium hexametaphosphate, 234
- Sodium laureth sulphate, 240, 243
- Sodium lauryl ether sulphate, 182
- Sodium lauryl sulphate (SLS), 221
- Sodium sesquicarbonate, 233
- Sodium tripolyphosphate, 233
- Solid board cases, 312
- Solid/liquid mixing, 374-6
- Sols, 67
- Solvent-extraction, 327-8
- Sorbitol, 176
- Spearmint oil, 332
- Specific gravity, 26
- Specifications, 402-3
- Spreading, 87-90
- Spreading coefficients, 89
- Squalane, 177
- Stability testing. *See* Product stability
- Standard deviation, 414
- Staphylococcus aureus*, 476
- Starches, 136
- Statistical quality control, 408-39
 - techniques, 431
- Stencil printing, 302
- Stephan curve, 247
- Stokes' law, 69, 98-9
- Storage conditions, 437-8
 - precautions against damage or deterioration, 430
 - see also* Product stability
- Stratum corneum, 203
- Strontium sulphide, 185
- Styling mousses, 228, 278-9
- Styrene-acrylonitrile copolymer (SAN), 142, 297, 304
- Sub-contractors, assessment of, 425
- Sugar-based nonionic emulsifiers, 109-10
- Sulphosuccinates, 239
- Sun protection factors (SPF), 190-2
- Sun tanning, 192-3
- Sunflower oil, 177
- Sunlight effects on the skin, 189-90
- Sunscreen products, 151, 190-3
- Supplier certification, 405
- Surface chemistry, 67-94
- Surface pressure, 93-4
- Surface profile method, 257-8
- Surface tension, 74-5, 93
 - measurement of, 82-5
- Surfactants, 90, 91, 93, 94, 97, 239, 450
 - amphoteric, 223, 243
 - anionic, 222
 - interactions, 43
 - nonionic, 105, 222-3
 - primary, 221
 - secondary, 222
 - skin irritancy, 43
- Sweat glands, 168-9, 194-9
 - apocrine, 169, 197
 - eccrine, 168-9, 194-5
- Sweating reduction (SR), 478-9

T

Talc, 134, 144, 242, 350
 packaging, 308-9
Talc containers, quality assurance, 309
Tally chart, 413
Tangential flow, 378
Tattooing, 497
Teeth, 244-50
 structure, 244-6
Terpenes, 335, 338
Terpenoids, 321-5, 355
Test methods, 427-9
 product evaluation, 465-70
Thermoplastics, 294
Thermoset resins, 293-4
Thickeners, 11-20, 224, 240
 functions, 11-18
 naturally occurring, 18
 selection of, 11
 synthetic, 11-18
 toothpastes, 253
Thioglycollic acid, 230
Thixotropy, 5-6
Tilting plate method, 82
Tin-plate containers, 271-2
Tissue products, 350-1
Titanium dioxide, 131
Titre determination, 27
Toilet soaps, 348-9
Tolerable negative error (TNE), 407
Toners, 129-30, 179
Toothpastes, 250-60
 abrasives, 251-2
 abrasivity measurement, 257-8
 efficacy measurement, 258-9
 flavour, 253-4
 foaming agents, 253
 formulations, 250-1
 functions of, 250
 humectants, 252-3
 packaging, 259-60
 preservatives, 254
 therapeutic agents, 254
 thickeners, 253
Total quality management (TQM), 401
Total-reflectance infra-red spectroscopy, 476
Total viable colony count (TVC), 441
Toxicological tests, in vitro, 45
Trade associations, 61-2
Trading Standards Office, 407
Transepidermal water loss (TEWL), 174, 475
Triangle test, 467-8
Triethanolamine, 42, 227
Triethanolamine lauryl sulphate, 241

Triglycerides, 21-3
Triisopropanolamine (TIPA), 277
Tri-lobe pumps, 388
Trisodium phosphate, 233
Tube filling, 394-5
Turbine mixer, 386
Turbulent flow, 377-8

U

Ultramarines, 131
Ultraviolet radiation, 189-93
Unsaponifiable matter, 30
Urea-formaldehyde, 294
USA, legislation, 60-1

V

Vacuum filling, 390-1
Vacuum vessels, 388
Van der Waals forces, 70, 74, 78, 98, 210, 373-4
Vanishing creams, 96
Vapour-phase tap (VPT), 274
Veegum, 20
Vegetable oils, 22-3, 148
Vegetable waxes, 24
Verbal scales, 469
Verification of purchased products, 426
Vessel shape and design, 380-1
Vetivert oil, 329
Viscometers, 7-10
Viscosity, 1-2
 measurement of, 6-7
Viscosity:shear rate curves, 5
Viscosity:time curve, 6
Vitamin A, 183, 189
Vitamin D, 189
Volatile organic compound (VOCs), 265, 278
Volumetric filling, 389-90

W

Water
 dispersibility, 116
 microbial quality, 442
 microbiological quality, 443
Water-in-oil (W/O) emulsions, 90, 95, 105-8,
 112, 114, 117, 177
Waterproof mascaras, 158-9
Waxes, 21, 24-5, 149
 derivatives from, 25
 microcrystalline, 152

synthetic, 150
test methods, 26-32
Weights and Measures Act 1985, 407
Wetting, 80-2
White pigments, 131
Wilcoxon Signed Rank test, 479
Wilhemmy plate method, 84-5

X

Xanthan gum, 20

Y

Yeasts, 441
Yield point, pseudoplastic behaviour with, 5
Ylang oil, 333
Young's equation, 82

Z

Zinc oxide, 131, 135
Zinc pyrithione (ZPT), 181, 182
Zinc stearate/pentaerythritol tetraisostearate, 144
Zirconium chlorhydrate, 195-6
Zwitterions, 70